



GE
Lighting



97573 - F13BX/827/ECO

GE Ecolux® Biax® T4 - Facilities; Retail Display; Hospitality; Office; Restaurant; Warehouse

Photo
Not Available

Rendering
Energy Savings

High Color



CAUTIONS & WARNINGS

Caution

- Lamp may shatter and cause injury if broken
 - Remove and install by grasping only plastic portion of the lamp.

GRAPHS & CHARTS

Graphs_Spectral Power Distribution

GENERAL CHARACTERISTICS

| | |
|----------------------------|---|
| Lamp Type | Compact Fluorescent - Plug-In |
| Bulb | T4 |
| Base | GX23 |
| Equivalent Wattage (NOM) | 60.0 W |
| Rated Life (NOM) | 10000.0 h |
| Starting Temperature (MIN) | 0.0 °C |
| Mercury Content (NOM) | 3.0 mg |
| Picograms of Mercury (NOM) | 422.5352 pg |
| Additional Info | TCLP compliant |
| Primary Application | Facilities;Retail Display;Hospitality;Office;Restaurant;W |

PHOTOMETRIC CHARACTERISTICS

| | |
|---------------------------------------|----------|
| Initial Lumens (NOM) | 825.0 |
| Mean Lumens (NOM) | 710.0 |
| Nominal Initial Lumens per Watt (NOM) | 63.46154 |
| Color Temperature (NOM) | 2700.0 K |
| Color Rendering Index (CRI) (NOM) | 82.0 |

ELECTRICAL CHARACTERISTICS


| | |
|--------------------------------|---------|
| Wattage (NOM) | 13.0 |
| Voltage (NOM) | 120.0 |
| Lamp Current (NOM) | 0.285 A |
| Current Crest Factor (MAX) | 1.7 |
| Supply Current Frequency (NOM) | 60.0 Hz |

DIMENSIONS

| | |
|------------------------------------|--------------------|
| Maximum Overall Length (MOL) (NOM) | 7.300 in(185.4 mm) |
| Nominal Length (NOM) | 7.000 in(177.8 mm) |
| Base Face to Top of Lamp (NOM) | 6.690 in(169.9 mm) |

PRODUCT INFORMATION

| | |
|----------------------------------|------------------|
| Product Code | 97573 |
| Description | F13BX/827/ECO |
| ANSI Code | 60901-IEC-0013-1 |
| Standard Package | BUNDLE |
| Standard Package GTIN | |
| Standard Package Quantity | 100 |
| Sales Unit | Unit |
| No Of Items Per Sales Unit | 1 |
| No Of Items Per Standard Package | 100 |
| UPC | 043168975735 |



NOTES

- Based on 60Hz reference circuit.
- Fluorescent lamp lumens decline during life