



Ceramalux ALTO

Ceramalux 250W Mog ED18 CL ALTO

These lamps pass the EPA's TCLP test for non-hazardous materials. Ideal for industrial applications, warehouses, post top applications and parking lots.

Product data

• General Characteristics

Base	Mogul [Mogul]
Base Information	Brass [Brass Base]
Bulb	ED18
Bulb Material	Hard Glass
Bulb Finish	Clear
Operating Position	Universal [Any or Universal (U)]
Main Application	General and Street Lighting
Rated Avg. Life	24000 hr

• Light Technical Characteristics

Color Rendering Index	21 Ra8
Color Temperature	2100 K
Color Temperature technical	2100 K
Initial Lumens	28500 Lm
Luminous Efficacy Lamp	114 Lm/W
Design Mean Lumens	24300 Lm
Chromaticity Coordinate X	523 -
Chromaticity Coordinate Y	412 -

• Electrical Characteristics

Watts	250 W
Lamp Voltage	95 V
Lamp Current	3.0 A
Ignition Time	5 (max) s
Re-ignition Time [min]	2 (max) min

• Environmental Characteristics

Mercury (Hg) Content	31.9 (max) mg
----------------------	---------------

• UV-related Characteristics

Damage Factor D/fc PET (NIOSH)	0.04 - 710.67 h500lx
UV A	0.87 mW/cm ²
UV B	0.00 mW/cm ²
UV C	0.01 mW/cm ²

• Luminaire Design Requirements

Cap-Base Temperature	210 (max) C
Bulb Temperature	400 (max) C

• Product Dimensions

Light Center Length L	5.75 in
Max Overall Length (MOL) - C	9.75 (max) in
Diameter D	2.25 in

• Product Data


Product number	368795
Full product name	Ceramalux 250W Mog ED18 CL ALTO
Short product name	Ceramalx 250W Mog ED18 CL ALTO
Pieces per Sku	1
eop_pck_cfg	12
Skus/Case	12
Bar code on pack	46677368791

PHILIPS

Bar code on case 50046677368796
Logistics code(s) 928601139401

eop_net_weight_pp 0.187 kg

Dimensional drawing



Ceramalux 250W Mog ED18 CL ALTO



© 2014 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2014, February 1
data subject to change