



**Product Number:** 58658

**Order Abbreviation:** 10T3Q/CL 12V

**General Description:** Tungsten Halogen Quartz Bi-Pin STANDARD Low Pressure Clear Finish UV-Stop With Transverse Filament G4 Bi-Pin Base 10Watt 12Volt 2000Hr Lamp Life

#### Product Information

|                                   |                         |
|-----------------------------------|-------------------------|
| Abbrev. With Packaging Info.      | 10T3QCL 12V 40/CS 1/SKU |
| Approx. Lumens                    | 140                     |
| Average Rated Life (hr)           | 2000                    |
| Base                              | G4 Bipin                |
| Bulb                              | T3                      |
| Centerbeam Candlepower (cp)       | 700.00                  |
| Class                             | G (GAS)                 |
| Color Rendering Index (CRI)       | 100                     |
| Color Temperature/CCT (K)         | 3000                    |
| Diameter (in)                     | 21.654                  |
| Diameter (mm)                     | 550.00                  |
| Ecologic                          | YES                     |
| Family Brand Name                 | STANDARD Bi-Pin         |
| Filament                          | CC-8                    |
| Horizontal Beam Angle (deg)       | 25                      |
| Lamp Finish                       | Clear                   |
| Light Center Length - LCL (in)    | 52                      |
| Light Center Length - LCL (mm)    | 45                      |
| Maximum Overall Length - MOL (in) | 5 5/16                  |
| Maximum Overall Length - MOL (mm) | 888                     |
| Nominal Voltage (V)               | 12.00                   |
| Nominal Wattage (W)               | 10.00                   |
| Vertical Beam Angle (deg)         | 250                     |

#### Footnotes

- For use where seal temperature does not exceed 650F.
- Standard Clear - UV Filter Quartz
- Suitable for use in unshielded fixtures. Consult most recent luminaire standards for your area to determine luminaire requirements.

